

HEDIS® & QARR Provider Reference Guide - Measurement Year 2026



Table of Contents

Glossary of Terms	4
Effectiveness of Care – <i>Prevention and Screening Measures</i>	5
Breast Cancer Screening (BCS-E)	5
Cervical Cancer Screening (CCS)	5
Colorectal Cancer Screening (COL-E)	5
Care of Older Adults (COA)	6
Adult Immunization Status (AIS-E)	6
Oral Evaluation, Dental Services (OED)	6
Effectiveness of Care – <i>Cardiovascular Conditions Measures</i>	7
Controlling Blood Pressure (CBP)	7
Statin Therapy for Patients with Cardiovascular Disease (SPC-E)	7
Effectiveness of Care – <i>Diabetes Measures</i>	8
Glycemic Status Assessment for Patients with Diabetes (GSD)	8
Eye Exam for Patients with Diabetes (EED)	8
Kidney Health Evaluation for Patients with Diabetes (KED)	8
Effectiveness of Care – <i>Musculoskeletal Conditions Measures</i>	9
Osteoporosis Management in Women Who Had a Fracture (OMW)	9
Effectiveness of Care – <i>Behavioral Health Measures</i>	10
Follow-Up After Hospitalization for Mental Illness (FUH)	10
Follow-Up After Emergency Department Visit for Mental Illness (FUM)	10
Follow-Up After Emergency Department Visit for Substance Use (FUA)	10
Initiation of Pharmacotherapy Upon New Episode of Opioid Dependence (QPOD)	11

Healthcare Effectiveness Data and Information Set (HEDIS®) & Quality Assurance Reporting Requirements (QARR) Provider Reference Guide - MY2026	
Diabetes Monitoring for People with Diabetes and Schizophrenia (SMD)	11
Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA).....	11
Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)	11
Effectiveness of Care – Care Coordination Measures	12
Transitions of Care (TRC).....	12
Follow-Up After Emergency Department Visit for People with Multiple High-Risk Chronic Conditions (FMC)	12
HIV Care	13
Viral Load Suppression (VLS)	13
Sexually Transmitted Diseases: Chlamydia Screening	13
Sexually Transmitted Diseases: Gonorrhea Screening.....	13
Sexually Transmitted Diseases: Syphilis Screening	13
Health Plan Descriptive Information	14
Social Needs Screening and Intervention (SNS-E).....	14
Access/Availability of Care Measures	15
Initiation and Engagement of Substance Use Disorder Treatment (IET)	15
Utilization and Risk Adjusted Utilization Measures	16
Child and Adolescent Well-Care Visits (WCV)	16
Plan All-Cause Readmissions (PCR)	16
References and Comments	17

Glossary of Terms:

Measure Name: The name of the HEDIS® measure used for reporting

Measure Code: The code used to identify the measure name

Age Criteria: The age of the population that is eligible for the measure

Measure Description: The description of what is being measured in each domain

ICD10 Codes: The diagnosis code assigned to conditions and diseases used for claims reporting

CPT Codes: Codes used to describe the treatment being provided

Medication List: List of medications from the current year HEDIS® specifications that meet numerator compliance for the attributed measure

HCPCS Codes: Codes used to describe supplies, equipment and devices being provided

LOINC Codes: Codes used to describe the tests being provided, such as laboratory tests and vital signs

Exclusions: Some measures remove eligible members from a measure they are otherwise eligible for (ex: hospice, palliative care, ESRD/dialysis)

Measurement Year (MY): Refers to the current calendar year (January 1, 2026 – December 31, 2026), for the measures unless otherwise specified

Effectiveness of Care- Prevention and Screening Measures:

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD 10 Codes, CPT Codes and Exclusions	Line of Business (LOB)
Breast Cancer Screening (BCS-E) <i>*NCQA implemented an electronic version of this measure. Providers are encouraged to submit data administratively.</i>	40 to 74 years of age	Members between 40 to 74 years of age, who have had a mammogram October 1 st two years prior through the end of the MY, to screen for breast cancer.	ICD 10 Codes: NA CPT Codes: 77061-77063, 77065-77067 Exclusions: Members on/using hospice services (99377) or palliative care (Z51.5), members who have expired during the MY, and those who have either a unilateral (Z90.11 or Z90.12) or bilateral mastectomy (Z90.13), members 66 and older residing in a facility or members 66 and older with a diagnosis of frailty (L89.000) and advanced illness (A81.00), and members who had gender-affirming chest surgery with a gender dysphoria diagnosis (F64.1, F64.8, F64.9).	SelectHealth, Total, EasyCare and EasyCare Plus
Cervical Cancer Screening (CCS-E) <i>*NCQA implemented an electronic version of this measure. Providers are encouraged to submit data administratively.</i>	21 to 64 years of age	Members 21 to 64 years of age, who have had a cervical cytology test (21 to 64) within 3 years, cervical high-risk human papillomavirus test (30- 64) within 5 years or both cytology/hrHPV co- testing (30-64) within the last 5 years, to screen for cervical cancer.	ICD 10 Codes: NA CPT Codes: 88141-88143, 87624, 87625 Exclusions: Members on/using hospice services (99377) or palliative care (Z51.5), members who expired during the MY, or have had a hysterectomy with no residual cervix (57530) and/or absence of cervix (Q51.5) and members assigned as male sex at time of birth.	SelectHealth
Colorectal Cancer Screening (COL-E) <i>*NCQA implemented an electronic version of this measure. Providers are encouraged to submit data administratively.</i>	45 to 75 years of age	Members 45 to 75 years of age, who have had at least one of the following cancer screenings annually or within specified timeframe from the MY: Fecal Occult Blood Test (FOBT) or Fecal Immunochemical Test (FIT) annually, Stool DNA with FIT testing within 3 years, Flexible Sigmoidoscopy or CT Colonography within 5 years and/or Colonoscopy within 10 years.	ICD 10 Codes: NA CPT Codes: 82270, 81528, 45330, 74261, 44388 Exclusions: Members on/using hospice services (99377) or palliative care (Z51.5), members who expired during the MY, members 66 and older residing in a facility or members 66 and older with a diagnosis of frailty (L89.000) and advanced illness (A81.00), and members with a diagnosis of colorectal cancer (C18.9) or total colectomy (44150).	SelectHealth, Total, EasyCare and EasyCare Plus

Healthcare Effectiveness Data and Information Set (HEDIS®) & Quality Assurance Reporting Requirements (QARR) Provider Reference Guide - MY2026

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD 10 Codes, CPT Codes and Exclusions	Line of Business (LOB)
Care of Older Adults (COA)	66 years of age	Members who are 66 years of age, who have completed both a functional status assessment, as well as a medication review (including OTC and supplements) at least once within the MY.	ICD 10 Codes: NA CPT Codes: 99483, 90863, 99495, 1170F, 1159F & 1160F HCPCS Codes: G8427, G0438 Exclusions: Members on/using hospice services (99377), members who expired during the MY, and services provided in an acute inpatient setting (99221).	Total, EasyCare and EasyCare Plus
Adult Immunization Status (AIS-E) <i>*NCQA implemented an electronic version of this measure. Providers are encouraged to submit data administratively.</i>	19 years of age and older	Members who are 19 years of age and older, who have received vaccines for influenza, Td (tetanus and diphtheria) or Tdap (tetanus, diphtheria and acellular pertussis), zoster, pneumococcal, hepatitis B and COVID-19 vaccines, and are up to date on the recommended vaccines during the MY.	ICD 10 Codes: NA CPT Codes: 90714, 90750, 90670, 90697, 90765, 91304 Exclusions: Members on/using hospice services (99377), or members who have expired during the MY.	SelectHealth, Total, EasyCare and EasyCare Plus
Oral Evaluation, Dental Services (OED)	Members under 21 years of age	Members under 21 years of age, who have completed a periodic or comprehensive oral exam with a dental provider during the MY.	ICD 10 Codes: NA CDT Codes: D0120, D0145, D0150 Provider Taxonomy Codes: 122300000X, 1223E0200X Exclusions: Members on/using hospice services (99377), or members who have expired during the MY.	SelectHealth

Effectiveness of Care- *Cardiovascular Conditions Measures:*

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD 10 Codes, CPT Codes and Exclusions	Line of Business (LOB)
Controlling High Blood Pressure (CBP)	18 to 85 years of age	Members 18 to 85 years of age with a diagnosis of HTN (hypertension) whose most recent blood pressure measurement during the MY, show an adequate control of condition, as evidenced by results of <140/90mm Hg.	ICD 10 Codes: I10 CPTII Codes: 3079F, 3078F, 3080F, 3074F, 3075F, 3077F Exclusions: Members on/using hospice services (99377) or palliative care (G9054), members who have expired during the MY, members 66 years of age or older residing in a facility, members 66 to 80 years of age with a frailty (L89.000) and advanced illness (G30.9) diagnosis, and members 81 and older with at least two indications of frailty (L89.000) during the MY, members with a diagnosis of End-stage renal disease (ESRD) (N18.6), nephrectomy (50220 total or 50240 partial) or kidney transplant (50360), and members who are pregnant (Z34.80).	SelectHealth, Total, EasyCare and EasyCare Plus
Statin Therapy for Patients with Cardiovascular Disease (SPC-E) *NCQA implemented an electronic version of this measure. Providers are encouraged to submit data administratively.	21 to 75 years of age	Members between 21 to 75 years of age, who have had an ASCVD diagnosis (atherosclerotic cardiovascular disease) and have received moderate or high-intensity statin therapy at least once during the MY, as well as maintain an 80% or higher rate of statin adherence.	ICD 10 Codes: I21.01, I25.9, I66.19 High-intensity Statin Medication List: Atorvastatin 40-80mg, Amlodipine-Atorvastatin 2.5-10mg/40-80mg, Rosuvastatin 20-40mg, Simvastatin 80mg and Ezetimibe-Simvastatin 10mg/80mg. Moderate-intensity Statin Medication List: Atorvastatin 10-20mg, Amlodipine-Atorvastatin 2.5-10mg/10-20mg, Rosuvastatin 5-10mg, Simvastatin 20-40mg, Ezetimibe-Simvastatin 10mg/20-40mg, Pravastatin 40-80mg, Lovastatin 40mg, Fluvastatin 40-80mg and Pitavastatin 1-4mg. Exclusions: Members on/using hospice services (99377) or palliative care (G9054), members who expired during the MY, members 66 years of age or older residing in a facility or have two diagnosis of frailty (L89.000) and advanced illness (A81.00), members diagnosed with ESRD (N18.5), on dialysis (90935), cirrhosis (K70.30), myalgia (M79.10), myositis (M60.80), myopathy (G72.9) or rhabdomyolysis (M62.82) caused by statins, and members with a pregnancy diagnosis (Z34.80), or received IVF (in vitro fertilization) (HCPCS S4015) or prescribed clomiphene	SelectHealth, Total, EasyCare and EasyCare Plus

Effectiveness of Care- *Diabetes Measures*:

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD 10 Codes, CPT Codes and Exclusions	Line of Business (LOB)
Glycemic Status Assessment for Patients with Diabetes (GSD)	18 to 75 years of age	Members between 18 to 75 years of age, diagnosed with diabetes (type 1 and 2), whose most recent glycemic status (HbA1c or GMI) was controlled (demonstrated by glycemic status <8.0) or uncontrolled (demonstrated by glycemic status >9.0)	ICD 10 Codes: E10.10, E10.36, E11.00 CPT Codes: 83036, 83037 CPTII Codes: 3044F, 3051F, 3052F, 3046F Exclusions: Members on/using hospice services (99377) or palliative care (Z51.5), members who have expired during the MY, members 66 years of age or older residing in a facility, members 66 or older with a frailty (L89.000) and advanced illness (A81.00) diagnosis.	SelectHealth, Total, EasyCare and EasyCare Plus
Eye Exam for Patients with Diabetes (EED)	18 to 75 years of age	Members between 18 to 75 years of age, diagnosed with diabetes (types 1 and 2), who have completed a retinal eye exam.	ICD 10 Codes: E10.10, E10.36, E11.00 CPT Codes: 92002, 92014, 92201, 92230 CPTII Codes: 2022F (evidence of retinopathy), 2023F (no evidence of retinopathy), 3072F (no evidence of retinopathy in the prior year) Exclusions: Members on/using hospice services (99377) or palliative care (Z51.5), members who expired during the MY, bilateral eye enucleation, members 66 years of age or older residing in a facility, members 66 and older with a frailty (L89.000) and advanced illness (A81.00) diagnosis.	SelectHealth, Total, EasyCare and EasyCare Plus
Kidney Health Evaluation for Patients with Diabetes (KED)	18 to 85 years of age	Members between 18 to 85 years of age, diagnosed with diabetes (types 1 and 2), who completed the eGFR (estimated glomerular filtration rate) and uACR* (urine albumin-creatinine ratio) lab tests during the MY. <i>*The uACR must have both a quantitative urine albumin test and a urine creatinine test to be complete.</i>	ICD 10 Codes: E10.10, E10.36, E11.00 CPT Codes: 82043, 82570, 80047 LOINC Codes: 13705-9, 1754-1, 2161-8, 50044-7 Exclusions: Members on/using hospice services (99377) or palliative care (G9054), members who expired during the MY, members 66 years of age or older residing in a facility, members 66 to 80 years of age with two frailty (L89.000) and advanced illness (A81.00) diagnosis, members 81 and older with two indications of frailty (L89.000) diagnosis, members diagnosed with ESRD (N18.5) or on dialysis (90935).	SelectHealth, Total, EasyCare and EasyCare Plus

Effectiveness of Care- *Musculoskeletal Conditions Measures:*

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD 10 Codes, CPT Codes and Exclusions	Line of Business (LOB)
Osteoporosis Management in Women Who Had a Fracture (OMW)	67 to 85 years of age	Female members between 67 to 85 years of age, who have had a BMD (bone mineral density) test or prescribed a medication for osteoporosis treatment within six months, after suffering a fracture.	ICD 10 Codes: M80.00XA, M80.80XA CPT Codes: 76977, 77080-77081, 77085-77086 HCPCS Codes: J0897, J1740, J3110, J3111, J3489 Exclusions: Members on/using hospice services (99377) or palliative care (G9054), members who expired during the MY, members 67 years of age or older residing in a facility, members 67 to 80 years of age with two frailty (L89.000) and advanced illness (A81.00) diagnosis, members 81 and older with two or more indications of frailty (L89.000) diagnosis.	Total, EasyCare and EasyCare Plus

Effectiveness of Care- Behavioral Health Measures:

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD 10 Codes, CPT Codes and Exclusions	Line of Business (LOB)
Follow-Up After Hospitalization for Mental Illness (FUH)	6 years of age and older	Members 6 years of age and older, who had a primary diagnosis of mental illness or intentional self-harm hospital admission, which was discharged and had a mental health provider follow-up. <i>Follow-up appointments are rated by those who complete an appointment within 7 days post-discharge, and those who complete an appointment within 30 days post-discharge.</i>	ICD 10 Codes: T14.91XA, F20.0, F31.0, F32.9 CPT Codes: 98960-98962, 99202-99205 Exclusions: Members on/using hospice services (99377), members who expired during the MY, and any members discharged and readmitted within 30 days.	SelectHealth, Total, EasyCare and EasyCare Plus
Follow-Up After Emergency Department Visit for Mental Illness (FUM)	6 years of age and older	Members 6 years of age and older, who had a principal diagnosis of mental illness or any diagnosis of intentional self-harm emergency department (ED) visit and had a mental health provider follow-up. <i>Follow-up appointments are rated by those who complete an appointment within 7 days post ED-discharge, and those who complete an appointment within 30 days post ED- discharge.</i>	ICD 10 Codes: T14.91XA, F20.0, F31.0, F32.9 CPT Codes: 98960-98962, 99202-99205 Exclusions: Members on/using hospice services (99377), members who expired during the MY.	SelectHealth, Total, EasyCare and EasyCare Plus
Follow-Up After Emergency Department Visit for Substance Use (FUA)	13 years of age and older	Members 13 years of age and older, that had an emergency department visit with a principal diagnosis of substance use disorder (SUD), or any diagnosis of drug overdose and completed a follow-up visit. <i>Follow-up appointments are rated by those who complete an appointment within 7 days post-discharge, and those who complete an appointment within 30 days post-discharge.</i>	ICD 10 Codes: T40.0X1A, F10.10, F11.10, F14.10, F15.10 CPT Codes: 98960-98962, 99202-99205 HPCS Codes: H0020, H0004, G2075 Exclusions: Members on/using hospice services (99377), members who expired during the MY.	SelectHealth, Total, EasyCare and EasyCare Plus

Healthcare Effectiveness Data and Information Set (HEDIS®) & Quality Assurance Reporting Requirements (QARR) Provider Reference Guide - MY2026

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD 10 Codes, CPT Codes and Exclusions	Line of Business (LOB)
Initiation of Pharmacotherapy Upon New Episode of Opioid Dependence (QPOD)	18 years of age and older	Members 18 years of age and older, who received initial pharmacotherapy treatment or visit for opioid treatment medication within 30 days of a new diagnosis of opioid dependence.	ICD 10 Codes: F11.10, F11.13, F11.14, F11.19, F11.20, CPT Codes: 90791, 90792, 90832-90834, 99221-99223 Opioid Use Disorder Treatment Medication List: Naltrexone, Buprenorphine (sublingual tablet, injection or implant), Buprenorphine/Naloxone (sublingual tablet, buccal film, sublingual film)	SelectHealth
Diabetes Monitoring for People with Diabetes and Schizophrenia (SMD)	18 to 64 years of age	Members between 18 and 64 years of age, with schizophrenia or schizoaffective disorder and diabetes who completed an HbA1c and LDL-C test during the MY.	ICD 10 Codes: E10.9, E11.9, F20.9, F25.9 CPT Codes: 83036, 83037, 80061, 83700 CPT II Codes: 3044F, 3051F, 3052F, 3046F, 3048F, 3049F, 3050F Exclusions: Members on/using hospice services (99377), members who expired during the MY.	SelectHealth
Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA)	18 years of age and older	Members 18 years of age and older diagnosed with schizophrenia or schizoaffective disorder, who were dispensed and remained on an antipsychotic medication for at least 80% of their treatment period.	ICD 10 Codes: F20.3, F20.89, F20.9, F25.8, F25.9 CPT Codes: NA HCPSC Codes: J0401, J1631, J1944, J2426, J2680 Exclusions: Members on/using hospice services (99377), members who expired during the MY, members 66 years of age or older residing in a facility (an institutional SNP or living long-term in an institution), members 66 to 80 years of age with a frailty (L89.000) and advanced illness (A81.00) diagnosis, members 81 and older with at least two frailty (L89.000) diagnosis, members with a diagnosis of Dementia (F03.90) or do not have at least two antipsychotic prescription refill events.	SelectHealth, Total, EasyCare and EasyCare Plus
Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)	12 years of age and older	Members 12 years of age and older who were evaluated for depression utilizing standardized screening tools, and, if resulting a positive screen, also received a follow-up care within 30 days. <i>*NCQA implemented an electronic version of this measure. Providers are encouraged to submit data administratively</i>	ICD 10 Codes: NA CPT Codes: 99202-99205 LOINC Codes: 44261-6, 55758-7, 89204-2 89208-3, 89205-9, 90853-3, 48545-8, 71956-8, 99046-5 Exclusions: Members on/using hospice services (99377), members who expired during the MY, and members diagnosed with bipolar disorder (F31.30) or depression (F32.A).	SelectHealth, Total, EasyCare and EasyCare Plus

Effectiveness of Care- Care Coordination Measures:

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD 10 Codes, CPT Codes and Exclusions	Line of Business (LOB)
Transitions of Care (TRC)	18 years of age and older	Members 18 years of age and older, who have been discharged after an in-patient hospitalization, and have the following noted in their outpatient medical record: 1. Notification of Inpatient Admission Documentation of receipt of notification within 2 days of discharge. 2. Receipt of Discharge information Documentation of receipt of discharge information within 2 days of discharge. Six required elements include: Attending, Diagnosis, Procedures or Treatment, Tests/Labs, Medications and Instructions 3. Patient Engagement within 30 days of discharge. <i>(Cannot be completed the same day of discharge)</i> 4. Medication Reconciliation within 30 days of discharge. <i>(It is recommended that providers use CPTII code 1111F)</i>	ICD 10 Codes: NA CPT Codes: 99483, 99495, 98966, 99202-99205 Exclusions: Members on/using hospice services (99377) and members who expired during the MY.	Total, EasyCare and EasyCare Plus
Follow-Up After Emergency Department Visit for People with Multiple High- Risk Chronic Conditions (FMC)	18 years of age and older	Members 18 years of age and older, diagnosed with multiple high-risk chronic conditions, who have been in the emergency department (ED) and completed a follow-up appointment within 7 days of the ED visit. <i>High-risk conditions include, but not limited to, COPD, Alzheimer's disease, chronic kidney disease, heart failure, acute MI, atrial fibrillation, and stroke.</i>	ICD 10 Codes: J44.9, G30.9, N18.9, I50.9, I21.09, I48.91, I63.9 CPT Codes: 99495, 98966, 99202-99205, 90791 Exclusions: Members on/using hospice services (99377) and members who expired during the MY.	Total, EasyCare and EasyCare Plus

HIV Care

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD 10 Codes, CPT Codes and Exclusions	Line of Business (LOB)
Viral Load Suppression (VLS)	2 years of age and older	Members 2 years of age and older, who are diagnosed with HIV (Human Immunodeficiency Virus), with their last HIV Viral Load Testing of the year showing a viral load less than two hundred copies/mL.	ICD 10 Codes: NA CPT Codes: NA Exclusions: NA	SelectHealth
Sexually Transmitted Infections: Chlamydia Screening	16 years of age and older	Members 16 years of age and older, who have completed a chlamydia screening within the MY.	ICD 10 Codes: NA CPT Codes: 86631, 86632, 87110, 87270, 87320, 87490, 87491, 87492, 87810, 87800, 3511F, 0353U Exclusions: Members on/using hospice services (99377) or residing in a Nursing Home	SelectHealth
Sexually Transmitted Infections: Gonorrhea Screening	16 years of age and older	Members 16 years of age and older, who have completed a gonorrhea screening within the MY.	ICD 10 Codes: NA CPT Codes: 87590, 87591, 87592, 87850, 87800, 3511U, 0353U Exclusions: Members on/using hospice services (99377) or residing in a Nursing Home	SelectHealth
Sexually Transmitted Infections: Syphilis Screening	16 years of age and older	Members 16 years of age and older, who have completed a syphilis screening within the MY.	ICD 10 Codes: NA CPT Codes: 86348, 86410, 86592, 86593, 87285, 0065U, 0210U, 80081, 3512F, 86781, 86780 Exclusions: Members on/using hospice services (99377) or residing in a Nursing Home	SelectHealth

Health Plan Descriptive Information

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD 10 Codes, CPT Codes and Exclusions	Line of Business (LOB)
Social Needs Screening and Intervention (SNS-E)	All ages	All members who have been screened for Food, Housing and Transportation insecurity/needs, as well as have documented interventions within 30 days of a positive screening. Screenings should be completed at least annually. <i>*NCQA implemented an electronic version of this measure. Providers are encouraged to submit data administratively</i>	ICD 10 Codes: Z59.41, Z59.48, Z59.00-Z59.02, Z59.10-Z59.12, Z59.89 CPT Codes: 97802-97804 LOINC Codes: 88122-7, 95264-8, 71802-3, 96778-6, 93030-5, 99594-4 Exclusions: Members on/using hospice services (99377) and members who expired during the MY, and Medicare members residing in a facility.	SelectHealth, Total, EasyCare and EasyCare Plus

Access/Availability of Care Measures:

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD 10 Codes, CPT Codes and Exclusions	Line of Business (LOB)
Initiation and Engagement of Substance Use Disorder Treatment (IET)	13 years of age and older	Members 13 years of age and older, who have a new substance use disorder, which initiated and engaged treatment. Initiation of SUD treatment should be completed within 14 days and engagement of SUD treatment completed within 34 days of initiation.	ICD 10 Codes: F10.10, F11.10, F15.10 CPT Codes: 99408, 98960, 99212 HCPCS Codes: G2086, G2075, G2080 Exclusions: Members on/using hospice services (99377), members who expired during the MY.	SelectHealth, Total, EasyCare and EasyCare Plus

Utilization and Risk Adjusted Utilization Measures:

Measure Name (Measure Code)	Age Criteria	Measure Description	ICD 10 Codes, CPT Codes and Exclusions	Line of Business (LOB)
Child and Adolescent Well-Care Visits (WCV)	3 to 21 years of age	Members between 3 and 21 years of age, who have had one or more well-visits with their PCP or OB/GYN during the MY.	ICD 10 Codes: Z00.00, Z00.121, Z00.2, Z00.3 CPT Codes: 99381-99385, 99391-99395 Exclusions: Members on/using hospice services (99377) and members who expire during the MY.	SelectHealth
Plan All-Cause Readmissions (PCR)	18 years of age and older	Members who are 18 years of age and older, that have had an unplanned readmission, within 30 days of an observation event or inpatient admission during the MY. <i>*Readmission can be for any diagnosis</i>	ICD 10 Codes: NA CPT Codes: 99221-99223, 99211-99215 Exclusions: Members on/using hospice services (99377).	SelectHealth, Total, EasyCare, and EasyCare Plus

References and Comments:

- ❖ HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA). Refer to www.ncqa.org/hedis/
- ❖ CPT® (Current Procedural Terminology) is a registered trademark of the American Medical Association
- ❖ HCPCS: Healthcare Common Coding Procedure Coding System Level II
- ❖ LOINC: Logical Observation Identifiers Names and Codes
- ❖ ICD-10: Centers for Medicare & Medicaid Services at www.cms.gov/Medicare/Coding/icd10/
- ❖ For additional information on Advanced Illness and Frailty, refer to <https://www.ncqa.org/blog/improving-care-advanced-illness-frailty/>
- ❖ Quality Assurance Reporting Requirements (QARR) are adopted from NCQA HEDIS® with New York state-specific measures added to address health issues of particular importance in New York. This document is not inclusive of all codes and measures. The measure descriptions and codes in this document are derived from the MY2026 HEDIS® Technical Specifications/Value Set Directory, and the Quality Assurance Reporting Requirements Technical Specifications manual. For the full list of codes, please refer to the NCQA store to purchase.



Have questions?

Please contact us at QualityManagement@vnshealth.org or Provider_Education@vnshealth.org

For additional information and resources, please visit our provider website and toolkit at <https://www.vnshealthplans.org/for-health-professionals-overview/>